



1.0 PRODUCT DESCRIPTION

Available Sizes

- 2 – 8"
- 63 – 225 mm
- Available in SDR 7, 11 and 17

Function

- Full flow fittings: 90° Elbow, 45° Elbow, Tee, Concentric Reducer
- Compatible for use with Style 905 and Style 907 HDPE couplings

2.0 CERTIFICATION/LISTINGS

Product designed and manufactured under Victaulic's Quality Management System, as certified by LPCB in accordance with ISO -9001:2008.

3.0 SPECIFICATIONS - MATERIAL

Fittings: Plastic Pipe Institute (PPI) listed High Density Polyethylene (HDPE) PE100/PE4710.




ALWAYS REFER TO ANY NOTIFICATIONS AT THE END OF THIS DOCUMENT REGARDING PRODUCT INSTALLATION, MAINTENANCE OR SUPPORT.

System No.		Location	
Submitted By		Date	

Spec Section		Paragraph	
Approved		Date	

4.0 DIMENSIONS

HDPE Plain End Fittings






Size	No. H10 90° Elbow			No. H11 45° Elbow			No. H20 Tee					
	C to E inches	Weight Each lb	Weight Each lb	Weight Each lb	C to E inches	Weight Each lb	Weight Each lb	Weight Each lb	C to E inches	Weight Each lb	Weight Each lb	Weight Each lb
2	4.38	0.8	0.6	0.5	3.63	0.6	0.5	0.4	4.38	1.0	0.8	0.6
3	5.25	1.5	1.5	1.1	3.88	1.4	1.0	0.7	5.25	2.6	1.9	1.4
4	6.00	3.6	2.6	1.9	4.50	2.6	1.9	1.4	6.00	4.6	3.4	2.5
6	7.50	9.2	6.6	4.9	4.88	6.1	4.3	3.3	7.50	12.0	8.6	6.4
8	9.25	16.0	13.0	10.0	5.25	11.0	9.0	7.0	9.25	23.0	19.0	15.0

NOTE

- Fitting C - E dimensions based on fittings at 73°F/23°C

4.0 DIMENSIONS (Continued)

HDPE Plain End Fittings




Size	No. H10 90° Elbow			No. H11 45° Elbow			No. H20 Tee					
	C to E mm	SDR 7.4 Weight Each kg	SDR 11 Weight Each kg	SDR 17 Weight Each kg	C to E mm	SDR 7.4 Weight Each kg	SDR 11 Weight Each kg	SDR 17 Weight Each kg	C to E mm	SDR 7.4 Weight Each kg	SDR 11 Weight Each kg	SDR 17 Weight Each kg
63	115	0.4	0.3	0.2	90	0.3	0.2	0.2	115	0.5	0.4	0.3
75	124	0.6	0.4	0.4	95	0.4	0.3	0.2	124	0.7	0.5	0.4
90	130	0.7	0.7	0.5	100	0.7	0.5	0.3	130	1.2	0.9	0.7
110	155	1.5	1.1	0.8	110	1.1	0.8	0.6	155	2.0	1.4	1.1
125	162	1.9	1.4	1.0	117	1.4	1.0	0.8	162	2.5	1.9	1.4
140	172	2.9	2.1	1.5	120	1.9	1.4	1.0	172	3.8	2.7	2.0
160	185	3.8	2.7	1.8	125	2.6	1.8	1.2	185	4.7	3.3	2.2
180	219	4.8	3.4	2.6	130	3.2	2.3	1.7	219	6.2	4.5	3.3
200	229	6.0	4.2	3.2	137	3.9	2.8	2.1	229	7.7	5.5	4.1
225	241	7.6	6.2	4.8	143	5.2	4.3	3.3	241	11.0	9.0	7.1

NOTE

- Fitting C - E dimensions based on fittings at 73°F/23°C

4.0 DIMENSIONS (Continued)


HDPE Plain End Fittings



Size	No. H50 IPS Concentric Reducer			
		SDR 7	SDR 11	SDR 17
Nominal inches	E to E inches	Weight Each lb	Weight Each lb	Weight Each lb
3 x 2	7.00	1.0	0.8	0.6
4 x 2	8.00	1.6	1.1	0.7
4 x 3	8.00	2.0	1.4	1.0
6 x 3	9.50	4.2	2.8	1.9
6 x 4	9.50	4.7	3.5	2.7

NOTE

- Fitting E - E dimensions based on fittings at 73°F/23°C



Size	No. H50 METRIC Concentric Reducer			
		SDR 7.4	SDR 11	SDR 17
Nominal mm	E to E mm	Weight Each kg	Weight Each kg	Weight Each kg
90 x 63	178	0.5	0.3	0.2
110 x 63	203	0.7	0.5	0.3
110 x 90	203	0.9	0.6	0.4
160 x 90	241	1.7	1.2	0.8
160 x 110	241	1.9	1.3	0.9

NOTE

- Fitting E - E dimensions based on fittings at 73°F/23°C

5.0 PERFORMANCE

Pressure Rating: Victaulic plain end HDPE fittings meet the pressure ratings of corresponding HDPE pipe.

Nominal Size inches	PE4710 HDPE Pipe ² DR		
	7	11	17
	Pressure Rating psi kPa		
2 - 8	333 2295	200 1380	125 860

² HDPE pipe conforming to ASTM D3035 and F714 at 73°F/23°C. Reference plastic pipe manufacturer data for derating factors at other temperatures

Nominal Size mm	PE100 HDPE Pipe ³ SDR		
	7.4	11	17
	Pressure Rating (PN) Bar kPa psi		
63 – 225	PN 25 2500 363	PN 16 1600 232	PN 10 1000 145

³ HDPE pipe conforming to ISO 4427-2 at 68°F/20°C. Reference plastic pipe manufacturer data for derating factors at other temperatures

6.0 NOTIFICATIONS

Not applicable. Contact Victaulic for details.

7.0 REFERENCE MATERIALS

- [19.07: Style 905 Coupling for Plain End HDPE](#)
- [19.09: Style 908 coupling for double grooved HDPE pipe](#)
- [19.10: Style 907 Coupling for HDPE-to-Steel](#)
- [I-900: HDPE Products Installation and Assembly Manual](#)

User Responsibility for Product Selection and Suitability

Each user bears final responsibility for making a determination as to the suitability of Victaulic products for a particular end-use application, in accordance with industry standards and project specifications, and the applicable building codes and related regulations as well as Victaulic performance, maintenance, safety, and warning instructions. Nothing in this or any other document, nor any verbal recommendation, advice, or opinion from any Victaulic employee, shall be deemed to alter, vary, supersede, or waive any provision of Victaulic Company's standard conditions of sale, installation guide, or this disclaimer.

Intellectual Property Rights

No statement contained herein concerning a possible or suggested use of any material, product, service, or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Victaulic or any of its subsidiaries or affiliates covering such use or design, or as a recommendation for the use of such material, product, service, or design in the infringement of any patent or other intellectual property right. The terms "Patented" or "Patent Pending" refer to design or utility patents or patent applications for articles and/or methods of use in the United States and/or other countries.

Note

This product shall be manufactured by Victaulic or to Victaulic specifications. All products to be installed in accordance with current Victaulic installation/assembly instructions. Victaulic reserves the right to change product specifications, designs and standard equipment without notice and without incurring obligations.

Installation

Reference should always be made to the Victaulic installation handbook or installation instructions of the product you are installing. Handbooks are included with each shipment of Victaulic products, providing complete installation and assembly data, and are available in PDF format on our website at www.victaulic.com.

Warranty

Refer to the Warranty section of the current Price List or contact Victaulic for details.

Trademarks

Victaulic and all other Victaulic marks are the trademarks or registered trademarks of Victaulic Company, and/or its affiliated entities, in the U.S. and/or other countries.